

**S:** Pt is a basketball player. Pt took a knee to the R side of his face while falling to the ground during a game. Pt walked off floor under own power and symptoms did not increase upon getting up. Pt described p! as immediate and sharp. P! was rated as a 7/10. Pt has had one concussion in the past, about a year ago. Pt is currently taking no medications. Pt had small headache. Pt has no numbness or tingling down the back or extremities. Pt is not bothered by light or sound. Pt does not feel blurry or foggy. Pt could recall taking the knee to the face. Pt reports no other symptoms.

**O:** Pt has visible indentation over the R side of the face. Ecchymosis present. Pt is tender to touch over zygomatic arch. Pt has no problem breathing or speaking. Pt could clench teeth on tongue depressor. Pt shows no anisocoria in the eyes, and eye movement is present and normal. Pt had a SCAT3 symptom evaluation score of 2/22. Pt had no trouble balancing.

**A:** Pt has possible zygomatic fx.

Diff Dx: Zygomatic fx, axilla fx, concussion, TMJ subluxation

Work Dx: Zygomatic fx

Pt was removed from play and the area protected.

**P:** Pt was given ice for swelling. Pt will be held from play and referred for an X-ray to determine if fx exists. Pt will be monitored and go through another concussion assessment tomorrow. Will follow up tomorrow to determine next course of action.

4/15/15

Nathan Millikan, ATS